

Lettre d'information

Numéro 15, Juillet 2021

Retrouvez-nous également sur
SoEpidemio le blog de notre équipe
 ouvert à toutes les contributions




COVID-19

Distribution spatiale en France

Geographical Pattern of COVID-19-Related Outcomes over the Pandemic Period in France: A Nationwide Socio-Environmental Study

Deguen S, Kihal-Talantikite W.
Int J Environ Res Public Health 2021; 18(4): 1824. doi: 10.3390/ijerph.



Confinement et santé mentale

Risk and protective factors related to children's symptoms of emotional difficulties and hyperactivity/inattention during the COVID-19 related lockdown in France: results from a community sample

Moulin F, El-Aarbaoui T, Herranz Bustamante J.J, Héron M, Mary-Krause M, Rouquette A, Galéra C, Melchior M.
Eur Child Adolesc Psychiatry 2021; doi: 10.1007/s00787-021-0.

Information et littératie

Online mis/disinformation and vaccine hesitancy in the era of COVID-19: Why we need an eHealth literacy revolution

Dib F, Mayaud P, Chauvin P, Launay O.
Hum Vaccin Immunother 2021; 1-3. doi: 10.1080/21645515.2021.187.

Deterioration of mental health and insufficient Covid-19 information among disadvantaged immigrants in the greater Paris area

Gosselin A, Melchior M , Carillon S, Gubert F, Ridde V, Kohou V, Zoumenou I, Senne J-N, Desgrées du Loû A, MAKASI Study Group. *J Psychosom Res* 2021; doi: 10.1016/j.jpsychores.2021.



Résistance vaccinale

COVID-19 vaccine hesitancy among persons living in homeless shelters in France

Longchamps C, Ducarroz S, Crouzet L, Vignier N, Pourtau L, Allaire C, Colleville AC, El Aarbaoui T, Melchior M, the ECHO study group.
Vaccine 2021; doi: 10.1016/j.vaccine.2021.05

Attitudes towards the COVID-19 Vaccine and Willingness to Get Vaccinated among Healthcare Workers in French Guiana: The Influence of Geographical Origin

Vignier N, Brureau K, Granier S, Breton J, Michaud C, Gaillet M, Agostini C, Ballet M, Nacher M, Valdes A, Abboud P, Adenis A, Djossou F, Epelboin L, Douine M.
Vaccines 2021; : 9(6):682.

Données selon le statut migratoire

Migrant status, ethnicity and COVID-19: More accurate European data are greatly needed

Melchior M, Desgrées du Loû A, Gosselin A, Datta, G, Carabali M, Merckx J, Kaufman J.
Clin Microbiol Infect 2021; 27(2): 160–162.

Vaccination

Vaccination HPV

Design and content validation of a survey questionnaire assessing the determinants of human papillomavirus (HPV) vaccine hesitancy in France: A reactive Delphi study

Dib F, Mayaud P, Launay O, Chauvin P, the FSQD-HPVH Study Group.

Vaccine 2020; 38(39): 6127-6140.

Effect of Internet use for searching information on vaccination on the uptake of human papillomavirus vaccine in France: A path-analysis approach

Dib F, Mayaud P, Longfier L, Chauvin P, Launay O.

Prev Med 2021; 149: 106615. doi: 10.1016/j.ypmed.2021.106615.

Vaccination HBV

Acceptability of on-site rapid HIV/HBV/HCV testing and HBV vaccination among three at-risk populations in distinct community-healthcare outreach centres: The ANRS-SHS 154 CUBE study


Calin R, Massari V, Pialoux G, Reydellet N, Plenel E, Chauvin C, Jauffret-Roustide M, Day N, Kreplak G, Freire Maresca A, Derche N, Louis S, Pol S, Doré V, Rouzioux C, Chauvin P

BMC Infectious Diseases 2020; 20(1): 851.

Santé mentale

Dépression

Spatial distribution of the proportion of depression by category in the 50 residential neighborhoods in the SIRS survey, Greater Paris area, 2010



Influence of Individual and Contextual Perceptions and of Multiple Neighborhoods on Depression

Traoré M, Vuillermoz C, Chauvin P, Deguen S

Int. J. Environ. Res. Public Health 2020; 17(6): 1958.

Depressive symptoms and non-adherence to treatable cardiovascular risk factors' medications in the CONANCES cohort

Hamieh N, Kab S, Zins M, Blächer J, Meneton P, Empana J-P, Hoertel N, Limosin F, Goldberg M, Melchior M, Lemogne C.

European Heart Journal - Cardiovascular Pharmacotherapy 2020; pvaal24.

Hostility, depression and incident cardiac events in the GAZEL cohort

Hamieh N, Meneton P, Zins M, Goldberg M, Wiernik E, Empana JP, Limosin F, Melchior M, Lemogne C.

J Affect Disord 2020; 266: 381-386.




Fig 1. Theoretical framework for the relation between socioeconomic position, informal and formal social support during pregnancy and postpartum depression.

Soutien social et dépression

Informal and formal social support during pregnancy and joint maternal and paternal postnatal depression. Data from the French representative ELFE cohort study

Nakamura A, Sutter-Dallay AL, El-Khoury Lesueur F, Thierry X, Gressier F, Melchior M, van der Waerden J.

International Journal of Social Psychiatry 2020; 66(5):431-441

The role of prenatal social support in social inequalities with regard to maternal postpartum depression according to migrant status

Nakamura A, El-Khoury F, Sutter-Dallay AL, Franck JE, Thierry X, Melchior M, van der Waerden J.

J Affect Disord 2020; 272: 465-473.

No child is an island: sociability in times of social distancing

Melchior M.


Eur Child Adolesc Psychiatry 2020; 29(7): 901-902.

Trouble de Stress Post-Traumatique

Childhood adversity trajectories and PTSD in young adulthood: A nationwide Danish register-based cohort study of more than one million individuals

El-Khoury F, Rieckmann A, Bengtsson J, Melchior M, Rod NH.

J Psychiatr Res 2021; 136: 274-280.



Post-Traumatic Stress Disorder in Homeless Migrant Mothers of the Paris Region Shelters

Roze M, Melchior M, Vuillermoz C, Rezzoug D, Baubet T, Vandendorren S.

Int J Environ Res Public Health 2020; 17(13): 4908

Factors associated with PTSD and partial PTSD among first responders following the Paris terror attacks in November 2015

Motreff Y, Baubet T, Pirard P, Rabet G, Petitclerc M, Stene LE, Vuillermoz C, Chauvin P, Vandendorren S.

J Psychiatr Res. 2020;121:143–50.

Risque suicidaire

Increased risk of suicidal ideation among French women: the mediating effect of lifetime sexual victimisation. Results from the nationally representative 2017 Health Barometer survey

El-Khoury F, Puget M, Leon C, du Roscoat E, Velter A, Lydié N, Sitbon A

Arch Womens Ment Health 2020; 23(5):635-641

Verbal victimisation, depressive symptoms, and suicide risk among sexual minority adults in France: results from the nationally-representative 2017 Health Barometer survey

El-Khoury F, Heron M, Van der Waerden J, Leon C, du Roscoat E, Velter A, Lydié N, Sitbon A.

Soc Psychiatry Psychiatr Epidemiol 2020; 55(8): 1073-1080.

Autisme

Autism Spectrum and Other Neurodevelopmental Disorders in Children of Immigrants: A Brief Review of Current Evidence and Implications for Clinical Practice

Schmengler H, Cohen D, Tordjman S, Melchior M

Front Psychiatry 2021; 12: 56636

Cancer

Dépistage du cancer du col

Risk of late cervical cancer screening in the Paris region according to social deprivation and medical densities in daily visited neighborhoods

Traoré M, Vallée J, Chauvin P.

Int J Health Geogr 2020; 19(1): 18.

Inégalités sociales et dépistage

Social inequalities in participation in cancer screening: does the mode of data collection matter? The CONSTANCES cohort

Aranda E, Franck JE, Ringa V, Sassenou J, Coeuret-Pellicer M, Rigal L, Menivelle G.

Eur J Public Health 2021 :ckab055. doi:

10.1093/eurpub/ckab055. Epub ahead of print




Fig. 1 Illustration of multi-level structure of SIRS cohort. Level 1 refers to the 3006 individuals who can reside in the 50 neighborhood, work in 435 neighborhood and frequent 542 neighborhood. In this example, it is seen that individuals 1 to 3 have the same neighborhood of residence and work, but that they do not frequent the same neighborhood

Suivi gynécologique et surpoids

Patterns of gynecological follow-up and their association with Body Mass Index among the CONSTANCES survey

Franck J, Ringa V, Rigal L, Sassenou J, Coeuret-Pellicer M, Chauvin P, Menville G.

J Med Screen 2021; 28(1): 10-17.

Addictions

Tabac

Sex differences in cigarette brand purchases among adult smokers: results from the DePICT national repeated survey of French adults (2016–2017)

El-Khoury Lesueur F, Torregrossa H, Gomajee R, Bolze C, Melchior M. Sex differences in cigarette brand purchases among adult smokers: results from the DePICT national repeated survey of French adults (2016–2017).

Eur J Health Econ 2021; 22: 223–228.

Decrease in cross-border tobacco purchases despite intensification of antitobacco policies in France

Gomajee R, Torregrossa H, Bolze C, Melchior M, El-Khoury Lesueur F.

Tobacco Control 2020; doi: 10.1136/tobaccocontrol-20.



Factors associated with electronic cigarette use among youth adults: The French “Trajectoires ÉpidéMiologiques en Population” (TEMPO) cohort study

Aljandaleh H, Bolze C, El-Khoury Lesueur F, Melchior M, Mary-Krause M.
Subst Use Misuse 2020; 55 (6): 964-972.

More Explorations Needed on Association of Electronic Cigarette Use and Smoking Reduction-Reply

Gomajee R, El-Khoury F, Melchior M
JAMA Intern Med 2020; 180(1): 160-161.

Maternal education and offspring birth weight for gestational age: the mediating effect of smoking during pregnancy

Nakamura A, Pryor L, Ballon M, Lioret S, Heude B, Charles MA, Melchior M, El-Khoury Lesueur F

European Journal of Public Health 2020; 30(5): 1001–1006.

Substances psycho actives

Unintended pregnancy prevention in women using psychoactive substances: A systematic review

Yermachenko A, Massari V, El-Khoury-Lesueur F, Azria E, Jauffret Roustide M, Clergue-Duval V, Melchior M.

Addictive Behaviors 2020; 107: 106393 .

Questions méthodologiques

Non-participation and attrition in a longitudinal study of civilians exposed to the January 2015 terrorist attacks in Paris, France

Vuillermoz C, Stene LE, Aubert L, Motreff Y, Pirard P, Baubet T, Lesieur S, Chauvin P, Vandendorren S.

BMC Med Res Methodol 2020; 20(1): 63.

Cohort profile: The TEMPO cohort study

Mary-Krause M, Herranz Bustamante JJ, Bolze C, Galéra C, Fombonne EJ, Melchior M

Int J Epidemiol 2021; doi: 10.1093/ije/dyab026.

